




RESTRICTED ACCESS VEHICLES (RAV) - CLASS 2 NOTICE VEHICLE CATEGORIES

CLASS	VEHICLE DESCRIPTION AND CONFIGURATION						LENGTH (m)	GCM (GROSS COMBINATION MASS) (T)	HEIGHT END TRAILER (m)	STEER AXLE GROUP	AXLE GROUPS	NETWORK #
2												
GROUP 1	(A)  PRIME MOVER, SEMI TRAILER TOWING PIG TRAILER						(A) <20	50	<3.5	EITHER	4	1
GROUP 2	(A)  PRIME MOVER, SEMI TRAILER TOWING PIG TRAILER	(B)  B-DOUBLE - SINGLE STEER	(C)  B-DOUBLE - TWIN STEER			(A) >20, <27.5 (B) <25 (C) <27.5	65.5 62.5 67.5	<3.5	EITHER SINGLE EITHER	4 4 4	2	
GROUP 3	(A)  PRIME MOVER, SEMI TRAILER TOWING 5 AXLE DOG TRAILER						(A) >19, <27.5	84		EITHER	5	3
GROUP 4	(A)  PRIME MOVER, SEMI TRAILER TOWING 6 AXLE DOG TRAILER						(A) >19, <27.5	87.5		EITHER	5	4
GROUP 5	(A)  PRIME MOVER, SEMI TRAILER TOWING 5 AXLE DOG TRAILER						(A) >27.5, <36.5	84		EITHER	5	5
GROUP 6	(A)  PRIME MOVER, SEMI TRAILER TOWING 6 AXLE DOG TRAILER	(B)  PRIME MOVER TOWING 2 SEMI TRAILERS				(A) >27.5, <36.5 (B) >27.5, <36.5	87.5 87.5		EITHER EITHER	5 5	6	
GROUP 7	(A)  TRUCK TOWING 2 x 5 OR 6 AXLE DOG TRAILERS	(B)  PRIME MOVER, SEMI TRAILER TOWING 2 OR 3 AXLE CONVERTER DOLLY CONNECTED TO 2 SEMI TRAILERS	(C)  B-DOUBLE TOWING 3 OR 6 AXLE DOG TRAILER			(A) >27.5, <36.5 (B) >27.5, <36.5 (C) >27.5, <36.5	107.5 107.5 107.5		TWIN EITHER EITHER	6 6 6	7	
GROUP 8	(A)  TRUCK TOWING 2 x 5 AXLE DOG TRAILERS	(B)  TRUCK TOWING 2 x 6 AXLE DOG TRAILERS				(A) >27.5, <36.5 (B) >27.5, <36.5	100.5 107.5		EITHER EITHER	6 6	8	
GROUP 9	(A)  PRIME MOVER, SEMI TRAILER TOWING 2 x 5 AXLE DOG TRAILER						(A) >36.5, <53.5	120.5		EITHER	7	9
GROUP 10	(A)  PRIME MOVER, SEMI TRAILER TOWING 2 x 6 AXLE DOG TRAILER	(B)  B-DOUBLE TOWING 2 OR 3 AXLE CONVERTER DOLLY CONNECTED TO 2 SEMI TRAILERS				(A) >36.5, <53.5 (B) >36.5, <53.5	127.5 127.5		EITHER EITHER	7 8	10	

NOTES:

DRAFT

- Network maps are available hard copy or in CD format from Heavy Vehicle Operations. Networks can also be viewed via the WEB: www.mainroads.wa.gov.au
- Operators using a Class of Restricted Access Vehicle (RAV) as outlined in this document must operate that class of RAV only on the network specified. Operators must comply with the requirements as outlined in the Notice in addition to all other legislative requirements.
- For vehicles or roads not described in the relevant RAV Class Notice, access may be available via a Permit.

Road Network Services
Heavy Vehicle Operations
2 Adams Drive
WELSHPOOL W.A. 6106
Tel: (08) 93118450 Fax: (08) 93118455



Government of
Western
Australia



MAIN ROADS
Western Australia

ATTACHMENT

Page 2 of 2

DRAFT

- Road Network Services
Heavy Vehicle Operations
2 Adams Drive
WELSHPOOL W.A. 6106
Tel: (08) 93118450 Fax: (08) 93118455




Government of
Western
Australia



MAIN ROADS

Western Australia




Legend

- COJ BOUNDARY
- NETWORK 2 ROADS

CITY OF JOONDALUP

RESTRICTED ACCESS VEHICLE - NETWORK 2

MAXIMUM GROSS COMBINATION MASS (GCM) - 67.5 TONNES




Legend

- COJ BOUNDARY
- NETWORK 3 ROADS

CITY OF JOONDALUP

RESTRICTED ACCESS VEHICLE - NETWORK 3

MAXIMUM GROSS COMBINATION MASS (GCM) - 84 TONNES



Legend

-  COJ BOUNDARY
-  NETWORK 4 ROADS

CITY OF JOONDALUP

RESTRICTED ACCESS VEHICLE - NETWORK 4
MAXIMUM GROSS COMBINATION MASS (GCM) - 87.5 TONNES

**MAIN ROADS WA HEAVY VEHICLE ACCESS PROJECT
NETWORK ROADS**

NETWORK 2

Road_No	Road_Name	SLK From	SLK To	Network	From Intersection	To Intersection	Max Speed (km/h)	Max Mass(t)	Max Length (m)	Max Width (m)	Max Height (m)	Curfews	Product	LGA Approval	Conditions	Comments
1311900	HEPBURN AVE	0.000	0.000	2	WANNEROO RD	WHITFORDS AVE	10 km/h below	67.5	27.5	2.5	4.3	NIL		KEEP	NIL	NIL
1311700	HODGES DR	0.000	0.000	2	JOONDALUP DRIVE	OCEAN REEF RD	10 km/h below	67.5	27.5	2.5	4.3	NIL		KEEP	NIL	NIL
1311665	JOONDALUP RD	0.000	0.000	2	OCEAN REEF RD	CITY BOUNDARY (NORTH)	10 km/h below	67.5	27.5	2.5	4.3	NIL		KEEP	NIL	NIL
1311288	OCEAN REEF RD	0.000	0.000	2	CITY BOUNDARY (EAST)	SHENTON AVE	10 km/h below	67.5	27.5	2.5	4.3	NIL		KEEP	REMOVE SECTION HODGES DR TO SHENTON AVE - NOT YET CONSTRUCTED	ROAD LAYOUT SUBJECT TO COMMUNITY CONSULTATION
1311287	WHITFORDS AVE	0.000	0.000	2	WANNEROO RD	HEPBURN AVE	10 km/h below	67.5	27.5	2.5	4.3	NIL		KEEP	NIL	NIL
1310002	MARMION AVE	0.000	0.000	2	BEACH RD	CITY BOUNDARY (NORTH)	10 km/h below	67.5	27.5	2.5	4.3	NIL		KEEP	NIL	NIL
1312143	BEACH ROAD	0.000	5.840	2	MARMION AVE	WANNEROO RD	10 km/h below posted limit	67.5	27.5	2.5	4.3	NIL		REMOVE		NOT CONTROLLED ACCESS ROAD. ALTERNATIVE ROUTE IS AVAILABLE.

NETWORK 3

Road_No	Road_Name	SLK From	SLK To	Network	From Intersection	To Intersection	Max Speed (km/h)	Max Mass(t)	Max Length (m)	Max Width (m)	Max Height (m)	Curfews	Product	LGA Approval	Conditions	Comments
1311900	HEPBURN AVE	0.00	6.06	3	WANNEROO RD	MARMION AVE	10 km/h below	84	27.5	2.5	4.3	NIL		KEEP	NIL	NIL
1311288	OCEAN REEF RD	0.00	4.78	3	OCEAN REEF RD - LG BDRY	MARMION AVE	10 km/h below	84	27.5	2.5	4.3	NIL		KEEP	NIL	NIL
1311287	WHITFORDS AVE	5.06	10.90	3	MARMION AVE	WANNEROO RD - LG BDRY	10 km/h below	84	27.5	2.5	4.3	NIL		KEEP	NIL	NIL
1310002	MARMION AVE	0.00	0.00	3	BEACH ROAD	CITY BOUNDARY (NORTH)	10 km/h below	84	27.5	2.5	4.3	NIL		KEEP	NIL	NIL

NETWORK 4

Road_No	Road_Name	SLK From	SLK To	Network	From Intersection	To Intersection	Max Speed (km/h)	Max Mass(t)	Max Length (m)	Max Width (m)	Max Height (m)	Curfews	Product	LGA Approval	Conditions	Comments
1311288	OCEAN REEF RD	0.00	4.78	4	OCEAN REEF RD - LG BDRY	MARMION AVE	10 km/h below	87.5	27.5	2.5	4.3	NIL		KEEP	NIL	NIL
1311287	WHITFORDS AVE	5.06	10.90	4	MARMION AVE	WANNEROO RD - LG BDRY	10 km/h below	87.5	27.5	2.5	4.3	NIL		KEEP	NIL	NIL
1310002	MARMION AVE	0.00	0.00	4	BEACH RD	OCEAN REEF ROAD	10 km/h below	87.5	27.5	2.5	4.3	NIL		KEEP	NIL	NIL

MRWA Heavy Vehicle Access Project Notice Network - Summary of Conditions

ATTACHMENT 6

CONDITIONS	
Value	Meaning
COMMERCIAL VEHICLES (e.g. Truck & Dogs, B-Doubles, Road Trains)	
CV1	Inbound travel only
CV2	Outbound travel only
CV3	Daylight hours only
CV4	Weekend travel Only
CV5	Empty travel Only
CV6	UNSEALED ROADS ARE AFFECTED BY RAIN, OPERATORS MUST CONTACT THE LOCAL AUTHORITY FOR ADVICE IF HEAVY RAIN HAS FALLEN IN THE AREA. OPERATORS ARE NOT PERMITTED ON A ROAD WHERE THE LOCAL AUTHORITY ADVISES TRAVEL IS NOT ALLOWED.
CV7	No operation on gravel roads when visibly wet
CV8	Bridge {insert number & name} not to be crossed
CV9	Vehicle not to exceed 19m in total length
CV10	Vehicle not to exceed 20m in total length
CV11	Vehicle not to exceed 25m in total length
CV12	Vehicle not to exceed 27m in total length
CV13	Vehicle not to exceed 30m in total length
CV14	Vehicle not to exceed 36.5m in total length
CV15	No LEFT turn into {insert road name}
CV16	No RIGHT turn into {insert road name}
CV17	Not to be used as a through route. For local delivery and pickup only. Driver must carry documentation as proof of local delivery or pickup
CV18	Headlights to be switched on in the dipped position at all times
CV19	One RAV permitted to cross bridge simultaneously
OVERSIZE LOADS (e.g. Low Loaders, Platforms)	
OL1	(A) EMPTY TRAVEL TO & FROM LOADED MOVE SUBJECT TO RELEVANT CONDITIONS
OL2	(B) ACCREDITED PILOTS MUST BE USED
OL3	(C) ACCREDITED PILOT MUST BE USED
OL4	(D) DOLLY TO BE SET TO 3.70M MIN SPREAD
OL5	(E) DOLLY TO BE SET TO 3.10M MIN SPREAD
OL6	(F) TRI TO BE SET TO 3.70M MIN SPREAD
OL7	(G) TRI TO BE SET TO 3.10M MIN SPREAD
OL8	(H) QUAD TO BE SET TO 3.70M MIN SPREAD
OL9	(I) QUAD TO BE SET TO 3.10M MIN SPREAD
OL10	(J) PLATFORM TO BE SET TO 3.70M MIN SPREAD
OL11	(K) CHECK WEIGH PRIOR TO DEPARTURE
OL12	(L) NO BRIDGES TO BE CROSSED
OL13	(M) VIDEO FOOTAGE REQUIRED FOR BRIDGE SUPERVISION
OL14	(N) PLATFORM TO BE SET TO 3.10M MINIMUM SPREAD
OL15	(O) FOR TRAVEL ON SHIRE ROADS CONTACT LOCAL AUTHORITY
OL16	(P) SINGLE TRIP ONLY PERMITTED
OL17	(Q) DAYLIGHT HOURS OF OPERATION
OL18	(R) MAXIMUM OPERATING SPEED MUST NOT EXCEED 80 KPH
OL19	(S) EMPTY TRAVEL ONLY PERMITTED
OL20	(T) FOR RELOCATION OF EQUIPMENT PURPOSES ONLY
OL21	(U) MAXIMUM OPERATING SPEED MUST NOT EXCEED 80 KPH ON THE POSTED LEGAL SPEED IF POSTED LESS THAN 80 KPH
OL22	(V) ROAD TRAIN ROUTES AS SHOWN ON ATTACHED FORM MRWA 1258. ALSO APPROVED TO OPERATE ON ROUTES APPLICABLE TO ENDORSEMENTS IF LISTED
OL23	(W) EXTENDABLE TRAILER TO BE USED
OL24	(X) PERMITS ARE NOT VALID BEYOND 31 MARCH 2003 UNLESS YOU HAVE WA HEAVY VEHICLE ACCREDITATION
OL25	(Y) BRIDGE #812 AT ROYHILL ON MARBLE BAR ROAD MUST NOT BE CROSSED
OL26	(Z) THE EXTREME LEFT HAND LANE MUST BE USED UNDER THE RAIL BRIDGE ON GREAT EASTERN HWY BYPASS
OL27	Police Escort to be used for duration of travel
OL28	Two Accredited Pilots to be used for duration of travel
OL29	Two Police Escorts to be used for duration of travel
OL30	Police Escort to travel at rear of load on dual carriageways
OL31	Accredited Pilot to travel at rear of load on dual carriageways
OL32	Main Roads Engineering Supervision Required
OL33	To carry and display "OVERSIZE" sign on vehicle
OL34	Pilot to carry dual faced sign: "OVERSIZE LOAD AHEAD"
OL35	Overhead height restriction
OL36	Main Roads Inspection of loading prior to departure

MaxSpeed	
Value	Meaning
10	10 km/h below posted limit
20	20 km/h below posted limit
30	30 km/h below posted limit
40	40 km/h below posted limit
50	50 km/h below posted limit

CURFEWS	
Value	Meaning
1	Monday
2	Tuesday
3	Wednesday
4	Thursday
5	Friday
6	Saturday
7	Sunday
00	All Year
01	Jan
02	Feb
03	Mar
04	Apr
05	May
06	Jun
07	Jul
08	Aug
09	Sep
10	Oct
11	Nov
12	Dec
99	Public Holidays
0100	1:00 AM
0200	2:00 AM
0300	3:00 AM
0400	4:00 AM
0500	5:00 AM
0600	6:00 AM
0700	7:00 AM
0800	8:00 AM
0900	9:00 AM
1000	10:00 AM
1100	11:00 AM
1200	12:00:00 PM (Noon)
1300	1:00 PM
1400	2:00 PM
1500	3:00 PM
1600	4:00 PM
1700	5:00 PM
1800	6:00 PM
1900	7:00 PM
2000	8:00 PM
2100	9:00 PM
2200	10:00 PM
2300	11:00 PM
2400	12:00:00 AM (Midnight)