



Attachment No. 1 Page No. 2



Digital Photography : DLI December 2005 Prepared by City of Joondalup : 04102006 - djt





Property Manager COJ
(for Padbury (mty Kndy))
is Tracy Doven
Po Box 21
Joondalup



Attachment 2 Page 2 of 3







POST SUPPORT (TO FOOTING)

## MIN BACKSLOPE 10mm / 3m POST HEIGHT SAIL FIXING BOLT TO --POST -POST HEIGHT (H) (3.5 m MAXIMUM) 300 x 300 x 16PL BASE PLATE. 4 No. HILTI HAS/M16 HOT DIP GALV ANCHORS @ 200 CRS— EACH WAY, FIX WITH HILTI 'HUV' ADHESIVE. - 10PL GUSSETS x 100 HIGH REQUIRED AT POSTS 3.9m OR HIGHER. X 400 - EXISTING CONCRETE SUSPENDED SLAB

POST SUPPORT (TO EXISTING CONCRETE SLAB)



SECTION X

|                  | POST SCHEDULE (MINIMUM POST SIZE)          |  |  |  |  |  |
|------------------|--|--|--|--|--|--|
| OST HEIGHT       |  |  |  |  |  |  |
| 2.1 m            | 5 sqm<br>75 x 75 x 3.0 SHS                 | 10 sqm                                     | 16 sqm                                     | 20 sgm                                     |  |  |
| 2.4 m            | 75 x 75 x 3.0 SHS                          | 75 x 75 x 3.0 SHS<br>75 x 75 x 3.5 SHS     | 100 x 100 x 3.0 SHS                        | 100 x 100 x 3.0 SHS                        | 25 sqm<br>100 x 100 x 5.0 SHs              |  |
| 2.7 m            | 75 x 75 x 3.0 SHS                          | 75 x 75 x 3.5 SHS                          | 100 x 100 x 3.0 SHS                        | 100 x 100 x 4.0 SHS                        | 100 x 100 x 6.0 SHS                        |  |
| 3.0 m            | 75 x 75 x 3.0 SHS                          | 75 x 75 x 4.0 SHS                          | 100 x 100 x 3.0 SHS<br>100 x 100 x 4.0 SHS | 100 x 100 x 4.0 SHS                        | 125 x 125 x 5.0 SHS                        |  |
| 3.6 m            | 100 x 100 x 3.0 SHS                        | 100 x 100 x 3.0 SHS                        | 100 x 100 x 4.0 SHS                        | 100 x 100 x 5.0 SHS<br>100 x 100 x 5.0 SHS | 125 x 125 x 5.0 SHS                        |  |
| 3.9 m            | 100 x 100 x 3.0 SHS<br>100 x 100 x 3.0 SHS | 100 x 100 x 3.0 SHS                        | 100 x 100 x 4.0 SHS                        | 100 x 100 x 5.0 SHS                        | 125 x 125 x 5.0 SHS                        |  |
| 4.2 m            | 100 x 100 x 4.0 SHS                        | 100 x 100 x 3.0 SHS<br>100 x 100 x 4.0 SHS | 100 x 100 x 4.0 SHS                        | 125 x 125 x 4.0 SHS                        | 125 x 125 x 6.0 SHS<br>125 x 125 x 6.0 SHS |  |
| 4.5 m            | 100 x 100 x 4.0 SHS                        | 100 x 100 x 4 0 SHC                        | 100 x 100 x 5.0 SHS                        | 125 x 125 x 4.0 SHS                        | 150 x 150 x 5.0 SHS                        |  |
| E: "SAIL AREA SI | UPPORTED' IS THE AMOUNT                    | NT OF SAIL AREA ATTACHE                    | 100 x 100 x 5.0 SHS                        | 125 x 125 x 5.0 SHS                        | 150 x 150 x 5.0 SHS                        |  |

SPECIFICATION

1. BIT IS SESSIBLED THAT ALL ALL STRIBUTURES WILL BE REMOVED FROM THEIR SUPPORTS WELL BY SESSIBLED FROM THE APPLANT OF SOUR SHAWEST OF HOUSE THAT THE SESSIBLED FROM THE APPLANT OF THE SESSIBLED FROM THE APPLANT OF TH

- 3. FINISH TO ALL NON-STAINLESS STEELWORK TO BE APPROPRIATE FOR THE EXPOSURE CLASSIFICATION AND THE CLENTS REQUIREMENTS.
- CLASSIFICATION FOR THE GLEAT STREETINGS.

  4. ALL STEEL WIRE FIXINGS TO BE FINISHED OFF IN SUCH A WAY AS TO PREVENT INJURY.
- S. FOUNDATION MATERIAL WITHIN IN OF ALL FOOTINGS TO BE COMPACTED TO ACHIEVE MINIMAN TEST RESILATIS OF 8 BLOWS / 500tm (FOR THE FULL FOOTING DEPTH SHEET WITH A APRILY SAND PREFET ROMETER. COMPACTION LEVEL TO BE ACHIEVED THE HER TO ACT OF THE SAND PREFET OF THE FULL FOOTING DEPTH SHEET DAYS OF THE SAND PREFET OF THE FULL FOOTING DEPTH SHEET DAYS OF THE FULL FOOTING DAYS OF
- AND AROUND YEST HAND TAMP TO REMOVE AN YOURS.

  YOUNGER SERIO DAY SESSING PASSAD OR ROOF AND THE EXISTING ROOF IS STEEL, CLAD, THE THE PASSAD ROOF HAS AND THE STEEL STEEL SERIOR PASSAD THE WALL PLATE AND THE WALL PLATE AND

| SAIL AREA | FOOTING SIZE (A x B x D) |
|-----------|--------------------------|
| 5 sgm     | 0.40m x 0.40m x 0.60m    |
| 10 sgm    | 0.40m x 0.40m x 0.85m    |
| 15 sgm    | 0.45m x 0.45m x 0.95m    |
| 20 sqm    | 0.45m x 0.45m x 1,10m    |
| 25 sqm    | 0.50m x 0.50m x 1.20m    |

| ALTERNATIVE COLUMN S |                                  |
|----------------------|----------------------------------|
| SPECIFIED SHS COLUMN | ALTERNATIVE CHS COLUMN           |
| 75 x 75 x 3.0 SHS    | Ø89 x 3.2 CHS                    |
| 100 x 100 x 3.0 SHS  | Ø114 x 3.2 CHS                   |
| 100 x 100 x 4.0 SHS  | Ø114 x 4.8 CHS                   |
| 100 x 100 x 5.0 SHS  | Ø114 x 6.0 CHS                   |
| 100 x 100 x 6.0 SHS  | Ø139 x 3.5 CHS                   |
| 125 x 125 x 4.0 SHS  | Ø165 x 3.5 CHS                   |
| 125 x 125 x 5.0 SHS  |                                  |
| 125 x 125 x 6.0 SHS  | Ø168 x 4.8 CHS<br>Ø168 x 4.8 CHS |

SHADE SAIL FIXING DETAILS

| AQUA | SHADES |
|------|--------|
|------|--------|

10/15 VANDEN WAY, JOONDALUP W.A. 6022 ph: 9300 9550 fax: 6210 1371

PROJECT ADDRESS:

ADDRESS: 2 Caley Road

Padbyry

CLIENT;

Padbury Kindy

DESIGNED G.H. 1 of 2

THIS GRAWING CARROT BE SUBMITTED AS PART OF A BUILDING LICENCE APPLICATION WITHOUT THE CRIGINAL INK SIGNATURE OF AN AUTHORISED STRUCTERIES SIGNATION.