



Department of Consumer
and Employment Protection
Government of Western Australia

Resources Safety 

Your ref: 36418 DA06/0546

Our ref: DGS011559

Enquiries: Lawry Lim - Ph 9222 33844 Fax 9325 2280

Email: llim@docep.wa.gov.au

Chief Executive Officer
City of Joondalup
PO Box 21
JOONDALUP WA 6919

City of Joondalup DOCUMENT REGISTRATION
Reference # : 36418
Letter # : 632484
Action Officer : APP01 CC: APP03
Date Received : 09/10/2006
Action Required: NOTE

Attention: **Remajee Narroo** – Planning Officer
Approvals, Planning & Environmental Services

Dear Ramajee

EXPLOSIVES AND DANGEROUS GOODS (DANGEROUS GOODS HANDLING AND STORAGE) REGULATIONS 1992

PROPOSED DEVELOPMENT: Child Care Centre at 255 Eddystone Ave, Beldon WA

I am writing to advise you that we have recently issued an exemption to the operators of BP Beldon for the existing underground tank installation to remain in its present location.

We have placed a Licence condition that restricted the filling of the tank to the following times:

1. Between 6pm to 7pm Monday to Friday
2. Between 8am to 6pm Saturday

The times specified are outside the operating hours of the existing community centre and the proposed child care centre at 255 Eddystone Ave Beldon.

The specified times may change if the operating hours of the proposed child care centre change in the future.

With these operating conditions in place, this Division has no objection to the proposed child care centre receiving council development approval.

Yours sincerely

Lawry Lim
Principal Dangerous Goods Officer
DANGEROUS GOODS SAFETY BRANCH
5 October 2006